Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



TEP 7 1928 uppart modul

HARDY PERENNIALS

AND

ROCK PLANTS

WHOLESALE

HAMMONTON HARDY PLANT NURSERY

HAMMONTON

NEW JERSEY





TERMS

Accounts are due in thirty days.

Orders from unknown correspondents, unaccompanied by cash or references will not be filled. If plants are required in a hurry, we suggest that cash and references be sent with first order. This will be promptly forwarded, and we will at once take up the question of shipping future orders on open account.

Prices in this catalogue include packing.

HARDY PERENNIALS AND ROCK PLANTS

	Per Doz.—	-Per 100
ACHILLEA		
Ptarmica Boule de Neige. Sprays of small, doubl		
white flowers. 12 to 18 inches. June-Sep		
tember.	1.50	10.00
" The Pearl. A stronger growing variety that		
the foregoing, bearing larger flowers. 2 f	t.	
June-September.	1.50	10.00
rupestris. A compact, low growing alpine plant	t,	
forming cushions of attractive, green foliage	e,	
and bearing masses of snow-white flower		
borne in dense umbels. 6 in. May-June.	2.00	12.00
tomentosa. A dwarf rock plant, forming neat cushion	ıs	
of foliage which are hidden during May an		
June by heads of bright yellow flowers.	1.50	10.00
umbellata. A rare and dainty rock plant bearin		
heads of snow white flowers over tufts of si		
very foliage. 6 inches. June.	2.00	12.00
very follage. O menes. June.	2.00	12.00
AETHIONEMA (Lebanon Candytuft)		
iberideum. A very free flowering trailer for the roc	k	
garden. It has gray, glaucous leaves and th	e	
white flowers are produced in terminal clus	3-	
ters. April-May.	2.50	15.00
ACDOSTEMMA		
AGROSTEMMA		
coronaria. Bright crimson flowers and gray wooll	-	
foliage making a pleasing contrast. 2 f	t. 1.25	8.00
June-July.	$\frac{1.25}{1.25}$	8.00
" alba. A white variety of the preceding.	1.20	0.00
AJUGA		
genevensis. Short spikes of intense blue flowers.	A	
good rock plant. 6 in. June.	2.00	12.00
-		
ALYSSUM		
saxatile compactum (Gold Dust) One of the mos		
popular of spring flowering plants. Masses of		0.00
yellow flowers in April and May.	1.25	8.00

P	er Doz.—	Per 100
ANCHUSA		
italica Dropmore Variety. Tall spikes of gentian- blue flowers, resembling giant forget-me-nots. 4 ft. June-July.	1.50	10.00
italica Opal. Similar to the preceding, but having pale blue flowers.	1.50	10.00
ANTHEMIS		
tinctoria Kelwayi. Our stock of this variety has been raised from one plant selected from a large number of seedlings and is a great improvement on the plant usually offered under this name. Its bright yellow flowers are very large and are produced very freely on strong, straight stems. An excellent plant for cutting. 2½ ft. June-September.	1.50	10.00
AQUILEGA (Columbine) An attractive and popular group of spring flowering plants which should be well represented in every collection of perennials. They are adapted for border or rock garden and their bright, various colored flowers are valuable for cutting.		
chrysantha. A tall and beautiful species bearing soft yellow flowers 3 ft. May-June.	1.50	10.00
coerulea. Blue and white flowers with long slender spurs. 2 ft. May-June.	1.50	10.00
nivea grandiflora. Large pure white flowers. Strong grower. 2 ft. May-June.	1.25	8.00
Mrs. Scott Eliott's Strain. This is probably the best strain of long spurred hybrids. The flowers are of rich and varied colors. 2-3 ft. May-June.	1.50	10.00
ARABIS		
alpina. (Rock Cress) A useful early spring flowering plant suitable for rock garden, border, or for spring bedding. 9 inches. April-May.	1.50	10.00
ARENARIA		
montana. One of the best rock plants for trailing over a ledge. Cascades of glistening white flowers in May.	2.00	12.00

P	er Doz.—	-Per 100
ARMERIA (Thrift, Sea Pink) Cephalotes. (Giant Thrift) Strong tufts of foliage and heads of silvery pink flowers borne on stout stems. Good for cutting. 1½ ft. May-June.	1.50	10.00
maritima Laucheana. Compact tufts of grass-like foliage entirely covered in May and June with globular heads of pink flowers. 6 inches.	2.00	12.00
ARTEMSIA lactiflora. Fragrant spirea-like plumes of creamy white flowers are borne on stout, erect stems from August to October. 5-6 ft.	1.50	10.00
ASCLEPIAS tuberosa. Strong stems terminating in clusters of bright orange red flowers. 2½ ft. May-June.	1.50	10.00
ASPHODELINE (Asphodel) lutea. Grassy foliage and stately spikes of yellow, lily-like flowers. 3-4 ft. July-September.	2.00	12.00
ASTER. (Michaelmas Daisy, Starwort) As a plant of general usefulness the aster has few rivals. The great variety in color, size of flower, time of flowering and height, combined with simple cultural requirements, make it one of the most desirable of hardy plants. Many of the varieties are excellent for cutting. The finest flowers and strongest spikes are obtained if the plants are divided annually.		
Climax. Large pale mauve flowers with yellow centers are profusely borne on long straight stems 4-5 ft. September-October.	1.50	10.00
Mauve Cushion. Distinct from all other asters, this variety forms a round, compact cushion that is entirely covered with delicate mauve flowers during October and November. 9 in.	1.50	10.00
N. A. Barr's Pink. A new variety of strong, erect growth, bearing large, bright pink flowers. When this variety was shown at the R. H. S. Hall, London, it was described by the Horticultural Advertiser as the best pink Aster in cultivation. 4 ft. September-October.	2.50	15.00

		-
ASTER (continued)	Per Doz.—	Per 100
N. A. Lil Fardel. Large, clear pink flowers. 4 ft. September-October.	1.50	10.00
N. A. Mrs. F. W. Raynor. Large crimson flowers. 4 ft. September-October.	1.50	10.00
Perry's White. A very free flowering variety of graceful habit. The flowers are large and of good substance. 4 ft. September-October.	1.50	10.00
The Queen. Very large flowers borne in loose sprays on long straight stems. They open pale mauve and turn nearly white with age. 4 ft. September.		10.00
St. Egwyn. This variety forms a compact bush, and during September the foliage is entirely hidden by large, clear pink flowers. One of the best asters in cultivation. 2½ ft.		10.00
tartaricus. A distinct species from Siberia. Large violet flowers are carried on tall, leafy stems. 6 tt. November. White Climax. A pure white form of Climax.		10.00 10.00
ASTER, DWARF ALPINE		
alpinus. Large, bluish purple flowers. 9 inches.		
May-June.	1.50	10.00
" albus. A white variety of the foregoing.	1.50	10.00
subcoeruleus. Large violet-purple flowers freely borne on slender, erect stems. 1 ft. June-July.	1.50	10.00
AUDDIETIA		
AUBRIETIA		
deltoidea. A dwarf, free flowering rock plant with pale lavender flowers. 4 inches. April-May		12.00
BAPTISIA		
australis. (False Indigo) A first rate border plan bearing sprays of dark indigo blue flowers, re sembling lupines. When well established, this is a valuable plant for cutting. 3 ft. June	- s	
July.	1.50	10.00

	Per Doz.	_Per 100
cordata. (Plume Poppy) A tall growing stately plant with handsome, gray, glaucous foliage, bearing panicles of creamy white flowers. 6-8 ft. July-August.		10.00
BOLTONIA		
asteroides. A tall aster-like plant of vigorous habit, more suitable for naturalizing than for the border. White flowers. 6 ft. September.		8.00
latisquama. Not so strong growing as the last. Pink flowers. 5-6 ft. September.	1.25	8.00
CALAMINTHA		
alpina. A prostrate rock plant producing a mass of violet-blue flowers borne in clusters. 6 in. July-August.		10.00
CAMPANULA (Bell-flower) One of the most beautiful and important families of hardy plants. Having a very wide geographical distribution, its members are extremely varied in character and are adapted for rock garden, border and woodland.		
alliaraefolia. Handsome, heart shaped leaves and creamy white, pendulous flowers. 2½ ft. June.	1.50	10.00
carpatica. Branching stems bearing cup-shaped, blue flowers, 1½ inches or more in diameter. 1 ft. July-August.	1.50	10.00
macrantha. A vigorous grower, 4 to 5 ft. high, the stems terminating in clusters of large, deep blue flowers. July.	1.50	10.00
Medium. (Canterbury Bell) Blue, pink, white; separate.	1.25	8.00
" Calycanthema. (Cup and Saucer) Mixed colors.	1.25	8.00
persicifolia. Slender, graceful stems studded with		
blue, cup shaped flowers in June and July. 2½ ft.	1.50	10.00
" alba. A while variety of the preceding.	1.50	10.00

	er Doz.—	Per 100
CAMPANULA (continued)		
pyramidalis. (Chimney Campanula) Tall pyramidal		
spikes of blue flowers. 6 ft. July.	1.50	10.00
" alba. A white variety of the above.	1.50	10.00
CARYOPTERIS		
mastacanthus. (Blue Spiraea) A compact, free flow- ering plant of sub-shrubby habit with attrac- tive gray foliage; it is covered during fall with trusses of lavender-purple flowers.	2.00	12.00
CENTAUREA		
macrocephala. A stately plant of robust habit, bearing large, globular heads of golden yellow	4 50	40.00
flowers. 4-5 ft. July-August.	1.50	10.00
montana. Woolly foliage and bright blue flowers.		
1½ ft. June-July.	1.50	10.00
" alba. A white variety of the last,	1.50	10.00
CERASTIUM		
tomentosum. Forms a carpet of silvery foliage which is covered in May with pure white flowers.	1.50	10.00
CHRYSANTHEMUM		
maximum. (Shasta Daisy) A useful plant for cutting. The large, white daisy-like flowers are produced over a long period. 2 ft. June-September.	1.25	8.00
COREOPSIS		
grandiflora. One of the best hardy plants for cut- ting; bright yellow flowers are borne on long graceful stems throughout summer.	1.25	8.00
DELPHINIUM		
Belladonna. An invaluable plant for cutting; sky-blue flowers in great profusion from June until		
frost. $2\frac{1}{2}$ -3 ft.	1.25	8.00
Bellamosum. Similar in habit and growth to the above, but having dark blue flowers.	1.25	8.00
grandiflorum. (chinense) Gentian-blue flowers; finely divided foliage. 2 ft. June-September.	1.25	8.00
" album. A white variety of the last. Mixed Hybrids. Raised from seed saved from a first	1.25	8.00
class strain.	2.00	12.0

	Per Doz.	-Per 100
DIANTHUS		
arenarius. A desirable rock plant of compact, tufte habit. During May and June the foliage is entirely hidden by masses of deeply fringed, fragrant, white flowers borne on 6 inch stems.	1-	10.00
caesius. (Cheddar Pink) Blue-gray cushions of folloge and rosy pink, sweetly scented flowers can ried on 9 inch stems. May-June.		12.00
deltoides. (Maiden Pink) A trailing, pink flowere rock plant, also useful for border edging June-July.		10.00
" album. A white variety of the foregoing.	1.50	10.00
" Brilliant. A vivid crimson variety, the flower are shown to great advantage against the dar green foliage.		10.00
plumarius. A first rate mixture of fragrant, beaut fully frilled flowers, varying in color from white to crimson. 1 ft. May-June.		8.00
formosa. Dainty fern-like foliage and pendulous lyre shaped flowers of a pleasing shade of pink. 1 ft. May-August.	s, of 1.50	10.00
DIGITALIS (Foxglove) One of the showiest and most attractive of old fashioned favorites whost popularity is continually increasing.		
gloxinaeflora. Pink, purple, white; separate. "The Shirley. A new strain raised by the Rew. W. Wilks, the originator of the well known Shirley Poppies. The flowers are of enormous size and vary in color from pure white	n is	8.00
deepest rose.	1.50	10.00
DRACOCEPHALUM Ruyschianum. One of the showiest of spring flowe ing plants and one we recommend to thos seeking something unusual. It forms a clum of many stems, each one being thickly covered during May with purplish blue, Salvia shape flowers. 1 to 1½ ft.	se 1p ed	12.00
10 10 10 1 /2 10		

Pe	er Doz.—	Por 100
ECHINACEA (Purple Coneflower)	. 502.	101 100
purpurea. A distinct plant of uncommon beauty. Large, pinkish-purple flowers having cone- shaped, orange red centers, are borne on strong, straight stems, 3 to 4 ft. in height. July-August	1.50	10.00
ECHINOPS (Globe Thistle) Vigorous and stately plants. attractive both in flower and foliage. The large, handsome leaves are spiny at the tips and are covered with silvery down.		
Ritro. Globular heads of glistening blue flowers. 4 ft. July-August.	1.50	10.00
sphaerocephalus. Heads of grayish white flowers. 4 ft. July-August.	1.50	10.00
ERINUS		
alpinus. A dwarf, dainty rock plant of tufted habit		
bearing pink fl.owers in May. 6 inches.	2.00	12.00
" albus. A white variety of the last.	2.00	12.00
coelestinum. Very free flowering and one of the best hardy plants for cutting. Masses of blue, ageratum-like flowers from August to October. 2 ft.	1.25	8.00
Fraseri. Feathery white flowers. 2 ft. July-September.	1.25	8.00
corollata. The value of this plant for cutting is not fully appreciated. It is well adapted for ship ping and its small pure white flowers take the place of Gypsophila paniculata when that is past. Best results are obtained by allowing it to remain undisturbed for several years. 1½ to 2 ft. August-September.	1.25	8.00
polychroma. A conspicuous object in early spring. It has a bushy, much branched habit, each branch terminating in a whorl of bright petal-like bracts. 1½ ft.	2.00	12.00

	Per Doz.	Per 100
FUNKIA		
undulata variegata. Creamy white and green variegated leaves.	1.50	10.00
GAILLARDIA		
grandiflora. Ranging in color from old gold to crim		
son. For furnishing a continuous supply of cu		
flowers, this plant is unrivaled. 2 ft. June		
September.	 1,25	8.00
*	1.20	0.00
GERANIUM		
sanguineum. Forms a thick mass of prostrate stem and bears a profusion of saucer shaped, bloo-		
red flowers. 1 ft. June-August.	2.00	12.00
		12.00
GLOBULARIA (Globe Daisy)		
tricosantha. A low growing rock plant bearing glob- ular heads of pale blue flowers arising fror		
tufts of shiny green foliage. 6 inches. May		
June.	1.50	10.00
GYPSOPHILA		
Ehrlei. The most valuable hardy plant for cutting	o'	
	t	
is quite distinct from Gypsophila paniculate	a	
fl. pl. and flowers earlier than that variety		
After the main crop of bloom is past, a con		
tinuous succession of flower spikes are pro		
duced until frost. Strong field-grown, grafte	d	
plants.	7.50	50.00
paniculata. Cloud-like masses of small white flowers		
One of the most popular and useful plants fo		
cutting. 2½ ft. July.	1.25	8.00
·- ·	2020	0,00
repens. A dwarf trailer, excellent for cascading down the slopes of the rock garden. Masses o		
small white flowers. June-July.	1.50	10.00
HELENIUM. Strong growing plants, valuable for pro		
ducing late summer effects in woodland of		
herbaceous border. Also useful as a cut flower		
autumnale Riverton Gem. Rich mahogany-red flowers	s. 1.50	10.00
"Gartensonne. A new variety having clea		10.00
yellow flowers. 4 ft. August-September.	2.00	12.00

	r Doz.—	Per 100
" surperbum. Yellow. 4 ft. August-September.	1.50	10.00
Hoopseii. Large heads of deep yellow flowers. 2 ft. June-July.	1.50	10.00
HELIANTHEMUM. (Rock or Sun Rose) Dwarf ever green shrubs of spreading habit, which for freedom of flowering and brilliance of coloring are equalled by few and excelled by no other family of plants. Delighting in full sun, they will thrive on a sunny bank where few other plants will exist. Massed on the rock garden or front of herbaceous border, they are the most gorgeous sight in the garden during June.		
Fireball. Brilliant scarlet. 9 inches.	2.00	12.00
macranthum. Large creamy white. 6 inches.	2.00	12.00
Mrs. Earle. Double scarlet flowers. 9 inches.	2.00	12.00
<pre>praecox. Large, soft yellow flowers. Silvery foliage. 9 inches.</pre>	2.00	12.00
rhodanthe carneum. Very large, clear pink flowers. Silvery foliage. 9 inches.	2.00	12.00
HELIANTHUS mollis. Handsome foliage thinly covered with silvery down and large lemon yellow flowers. 5 ft. August-September.	1.50	10.00
HELIOPSIS Pitcheriana. Golden yellow flowers throughout the summer. 3 ft.	1.25	8.00
HEMEROCALLIS Dr. Regel. Fragrant, orange-yellow, lily like flowers. 1½ ft. May.	1.50	10.00
Thunbergi. Clear yellow flowers. 3 ft. July	1.50	10.00
HERNIARIA glabra. A prostrate green carpeter which remains green throughout winter.	1.50	10.00
HESPERIS matronalis. Sweetly scented, purple flowers freely produced during summer. 1½ ft.	1.50	10.00
" albus. A white variety of the last.	1.50	10.00

1	Per Doz	Don 100
HIBISCUS (Mallow)	er D02	rer 100
Marvel Mallows. Pink, red, white separate.	1.50	10.00
HOLLYHOCK. Our double varieties, with the exception of Newport Pink, are Chater's celebrated strain, and may be relied upon to come true to color.		
Double Varieties: Apple Blossom, Bright Rose, Cerise, Crimson, Newport Pink, Salmon Rose, White, Yellow.	1.50	10.00
Single Mixed.	1.50	10.00
HYPERICUM		
clympicum. A rare rock plant, gray foliage and very large, yellow flowers. 6 in. June-July.	3.00	20.00
IBERIS (Candytuft) sempervirens. An invaluable and popular spring flowering plant of dwarf and compact habit, bearing masses of snow white flowers produced in large trusses. 9 in. April-May.	1.25	8.00
INCARVILLEA Delavayi. A somewhat rare plant of exceptional merit. The flowers are tubular in shape, like those of Bignonia grandiflora; they are dainty pink in color, the throat being streaked with purple. They are borne in clusters of six to twelve flowers on stout erect stems. July. Strong flowering roots.	2.00	12.00
<pre>INULA ensifolia. Forms a compact, symmetrical clump and in July is covered with bright yellow flowers. 1 ft.</pre>	1.50	10.00
glandulosa. A little known plant of rare beauty. The flowers are golden and fully five inches across, with long thread-like petals. 2 ft. June-July.	2.00	12.00
IRIS		
cristataA dwarf fairy-like plant with soft blue, orange striped flowers. Easily grown in a rather moist, partially shaded position. 4 in.		
May.	1.50	10.00

P	er Doz.—	Per 100
pumila Cyanea. Violet-purple. 9 in. May.	1.50	10.00
" The Bride. Pure white. 6 in. May.	1.25	8.00
s:birica. Graceful, slender, grass-like foliage and vio- let-blue flowers on long stems. An excellent plant for moist situations. 3 ft. May-June.	1.25	8.00
" Snow Queen. Large, snow-white, well formed flowers.	1.50	10 00
LATHYRUS (Perennial Sweet Pea) latifolius albus. A virgorous climber. White flowers.	1.50	10.00
" roseus. A Pink variety.	1.50	10.00
LIATRIS		
callilepis. Stems 2½ to 3 ft. in height covered with deep lilac flowers. July-August	2.00	12.00
<pre>pycnostachya. Long slender stems with rosy purple flowers. 4-5 ft. July-August</pre>	1.50	10.00
scariosa. Deep purple. 2-3 ft. June-July.	1.50	10.00
LINUM (Flax) perenne. A continuous succession of clouds of sapphire blue flowers throughout summer. 2 ft.	1.25	8.00
	1.25	8.00
arbum. A write variety of the above.	1.20	3.00
LYCHNIS alpina. Compact cushions of rich green leaves studded in April and May with heads of pink flowers.	1.50	10.00
chalcedonica. (Jerusalem Cross) Stout leafy stems bearing large, flat heads of bright scarlet flow- ers. 2-3 ft. July-August.	1.50	10.00
" alba. A white variety of the above.	1.50	10.00
LYSIMACHIA		
nummularia. A prostrate trailer, spangled during spring and early summer with large, clear yellow flowers.	1.25	8.00
LYTHRUM		
virgatum Rose Queen. A shapely bush formed of many slender stems which are thickly covered three quarters of their length with rosy pink flowers. 3-4 ft. July September.	1.50	10.00

MAZIVE	Per Doz.	Per 100
MAZUS . rugosus. A prostrate grower forming a dense, green carpet, studded in spring with large violet flow ers spotted with gold.		12.00
MONARDA		
didyma. (Bergamot) Bright red heads of flowers of 3 ft. Stems. The whole plant is fragrant June-August.		8.00
MYOSOTIS Palustris semperflorens. The well known and popula For-get-me-not.	r 1.25	8.00
NEPETA Mussini. (Catmint) A many stemmed, somewhat trailing plant with silvery leaves, which during June bears spikes of lavender blue flowers in great profusion. Most effective if grown in large masses. 1 ft.	g n	10.00
OENOTHERA (Evening Primrose) missouriensis. A fine trailing plant with very large		
pale yellow flowers, five or six inches in diameter. One of the best perennials for rock garden or border. June-August.		10.00
speciosa. Erect habit; snow-white flowers in great profusion throughout summer. 2 ft.	nt 1.50	10.00
PARADANTHUS (Blackberry Lilly) chinensis. Bright orange, lily-like flowers with brown ish purple spots, followed by conspicuous black seeds resembling blackberries. 3 ft. July August.	k	10.00
PAPAVER alpinum. A dwarf, miniature poppy having finel divided, gray leaves and bearing, throughouthe summer, white, yellow, orange and pin flowers.	ıt	12.00
nudicaule (Iceland Poppy) Dwarf free flowering plants, bearing solitary blossoms on stem about 1 ft. in height. Good for cutting. May	s y-	· · ·
August, orientale. Large scarlet flowers. 3 ft. May-Jun	1.50 e. 1.50	10.00 10.00
orientale. Large scarlet flowers. 3 ft. May-Jun- " Gerald Perry. Pale pink flowers of mediu:		10.00
size. 2½ ft.	2.50	15.00

DADAVED (!'	Per Doz.	-Per 100
PAPAVER (continued)		
Orientale Mrs. Perry. Medium size flowers of a pleas ing shade of apricot pink. 2½ ft.	2.00	12.00
" Princess Ena. Small tulip shaped flowers orange salmon in color. 2½ ft.	2.50	15.00
" Royal Scarlet. Rich glowing scarlet flowers o	f	
enormous size. 3 ft.	2.00	12.00
" Mixed Colors.	1.50	10.00
pilosum. A very free flowering border plant bearing	g	
orange-bronze flowers. June-July. 2 ft.	1.50	10.00
PENTSTEMON		
barabatus Torreyi. Graceful tapering stems coverewith large, tubular, scarlet flowers. 4 ft June-August.		10.00
		10.00
Digitalis. White tubular flowers with purple throat Good for cutting. 2-3 ft. June-July.	1.50	10.00
PHLOX. One of the most important families of hard; perennials and one that should be well represented in every collection. Phloxes are bessuited by a deep, well manured soil and abundance of water.	t	
Antonin Mercier. Soft lilac blue with white center 2 ft.	1.25	8.00
Bacchante. Fiery pink with crimson eye. 21/2 ft	. 1.25	8.00
Baron van Dedem. Glowing crimson. 2 ft.	1.25	8.00
Europa. White with carmine ye. 2½ ft.	1.25	8.00
Geffion. Soft pink with soft rose eye. 2½ ft.	1.50	10.00
Gruppenkonigen. Flesh pink with carmine eye. 2½ ft		10.00
La Vogue. Pinkish mauve. 2½ ft.	1.25	8.00
Mrs. Jenkins. Pure white; large trusses. 2½ ft.	1.25	8.00
Rijnstroom. Rose-Pink, very large individual flowers	١.	
2 ½ ft.	1.50	10.00
Rosenberg. Carmine violet with reddish eye. 2 ft.	1.25	8.00
R. P. Struthers. Rosy red with crimson eye. 2 ft	1.25	8.00
Thor. Very large trusses of dazzling pink flowers $2\frac{1}{2}$ ft.	1.25	8.00
W. C. Egan. Large pink flowers. 2½ ft. Widar. Reddish-violet flowers with white centers	1.25	8.00
2½ ft.	1.25	8.00

suffruticosa Miss Lingard. A good variety for cutting;	er Doz.—	-Per 100
pyramidal trusses of white flowers with faint		
lilac eye. 2½ ft. June-September.	1.50	10.00
PHLOX, Dwarf varieties		
amoena. Compact glossy green foliage and masses		
of vivid pink flowers in April and May. 9 in.	1.50	10.00
divaricata. Trusses of large, fragrant, lavender-blue		
flowers. 9 in. May.	1.50	10.00
stolonifera. A quick growing trailer bearing heads of		
lavender flowers. 9 inches. April-May.	1.59	10.00
subulata alba. (Moss Pink) Moss-like foliage covered		
in April and May with sheets of white flowers.		
6 in.	1.25	8.00
" atrolilacina. Masses of deep lilac flowers en-		
tirely cover the plants during April and May. The flowers of this plant are the nearest ap-		
proach to blue of any variety of this type of		
Phlox.	2.00	12.00
" G. F. Wilson. One of the best and most flor-		
iferous of spring flowering plants. Mats of		
glossy foliage completely hidden by sheets of		
starry, lavender flowers in April and May. 6 in.	2.00	12.00
" lilacina. A lilac variety.	1.25	8.00
" rosea. A pink variety.	1.25	8.00
PHYSALIS (Winter Cherry)		
Franchetti. Bright orange bladder-like calyces en-		
closing a cherry-like fruit. Valuable for drying		
for winter decoration. 2 ft. October.	1.25	8.00
PHYSOSTEGIA		
virginiana. Long slender spikes closely covered with		
pinkish mauve, tubutar flowers. 3 ft. July-		
August.	1.25	8.00
" alba. A white variety of the foregoing.	1.25	8.00
" grandiflora. A plant of recent introduction and		
a most valuable acquisition. It produces num-		
erous stout, square stems 1 ft. to 11/2 ft. high,		
each covered with large, brilliant pink flowers,		
somewhat resembling a snap dragon in shape.		
The value of this plant is enhanced by its being		
an addition to the very few dwarf late flower-		
-	1.50	10.00
ing plants. August-September.	1.50	10.00

Per Doz.—Per 100 PINK, Hardy. A highly popular group of old fashioned garden plants, esteemed for their extreme floriferousness and delicious fragrance. 12 to 15 inches. May-June. Excelsior. Delicate rose pink. Her Majesty. Pure white; large flowers. Homer. Deep rose with darker center. Juliette. White, laced crimson. Lord Lyons. Deep rose. White Reserve. Pure white; perpetual flowering. PLATYCODON. (Balloon Flower) grandiflorium. Blue bell-shaped flowers borne on slender stems. 2 ft. June-October. "album. A white variety of the above. PLUMBAGO Larpentae. (Leadwort) Forms compact tufts of in-
iferousness and delicious fragrance. 12 to 15 inches. May-June. 1.25 8.00 Excelsior. Delicate rose pink. 1.25 8.00 Her Majesty. Pure white; large flowers. 2.00 12.00 Homer. Deep rose with darker center. 1.25 8.00 Juliette. White, laced crimson. 1.25 8.00 Lord Lyons. Deep rose. 1.25 8.00 White Reserve. Pure white; perpetual flowering. 1.25 8.00 PLATYCODON. (Balloon Flower) grandiflorium. Blue bell-shaped flowers borne on slender stems. 2 ft. June-October. 1.25 8.00 PLOMBAGO
inches. May-June. 1.25 8.00 Excelsior. Delicate rose pink. 1.25 8.00 Her Majesty. Pure white; large flowers. 2.00 12.00 Homer. Deep rose with darker center. 1.25 8.00 Juliette. White, laced crimson. 1.25 8.00 Lord Lyons. Deep rose. 1.25 8.00 White Reserve. Pure white; perpetual flowering. 1.25 8.00 PLATYCODON. (Balloon Flower) grandiflorium. Blue bell-shaped flowers borne on slender stems. 2 ft. June-October. 1.25 8.00 PLUMBAGO
Excelsior. Delicate rose pink. Her Majesty. Pure white; large flowers. Homer. Deep rose with darker center. Juliette. White, laced crimson. Lord Lyons. Deep rose. White Reserve. Pure white; perpetual flowering. PLATYCODON. (Balloon Flower) grandiflorium. Blue bell-shaped flowers borne on slender stems. 2 ft. June-October. album. A white variety of the above. PLUMBAGO
Her Majesty. Pure white; large flowers. 2.00 12.00 Homer. Deep rose with darker center. 1.25 8.00 Juliette. White, laced crimson. 1.25 8.00 Lord Lyons. Deep rose. 1.25 8.00 White Reserve. Pure white; perpetual flowering. 1.25 8.00 PLATYCODON. (Balloon Flower) grandiflorium. Blue bell-shaped flowers borne on slender stems. 2 ft. June-October. 1.25 8.00 " album. A white variety of the above. 1.25 8.00 PLUMBAGO
Homer. Deep rose with darker center. 1.25 8.00 Juliette. White, laced crimson. 1.25 8.00 Lord Lyons. Deep rose. 1.25 8.00 White Reserve. Pure white; perpetual flowering. 1.25 8.00 PLATYCODON. (Balloon Flower) grandiflorium. Blue bell-shaped flowers borne on slender stems. 2 ft. June-October. 1.25 8.00 " album. A white variety of the above. 1.25 8.00 PLUMBAGO
Lord Lyons. Deep rose. 1.25 8.00 White Reserve. Pure white; perpetual flowering. 1.25 8.00 PLATYCODON. (Balloon Flower) grandiflorium. Blue bell-shaped flowers borne on slender stems. 2 ft. June-October. 1.25 8.00 " album. A white variety of the above. 1.25 8.00 PLUMBAGO
White Reserve. Pure white; perpetual flowering. 1.25 8.00 PLATYCODON. (Balloon Flower) grandiflorium. Blue bell-shaped flowers borne on slender stems. 2 ft. June-October. 1.25 8.00 " album. A white variety of the above. 1.25 8.00 PLUMBAGO
PLATYCODON. grandiflorium. Blue bell-shaped flowers borne on slender stems. 2 ft. June-October. album. A white variety of the above. 1.25 8.00 PLUMBAGO
grandiflorium. Blue bell-shaped flowers borne on slender stems. 2 ft. June-October. 1.25 8.00 album. A white variety of the above. 1.25 8.00 PLUMBAGO
grandiflorium. Blue bell-shaped flowers borne on slender stems. 2 ft. June-October. 1.25 8.00 album. A white variety of the above. 1.25 8.00 PLUMBAGO
" album. A white variety of the above. 1.25 8.00 PLUMBAGO
PLUMBAGO
I amounts (I and want) Forms compact tufts of in
numerable wiry stems, each one terminating in a dense truss of cobalt blue flowers. 1 ft.
August-October. 1.50 10.00
POLEMONIUM
humile. A choice and rare rock plant of neat tufted
habit, bearing dense trusses of satiny, pale
blue flowers in great profusion. May-June.
6 inches. 2.00 12.00 Richardsoni. Neat tufts of vivid green foliage and
erect spikes of pale blue flowers. 1½ ft. May. 1.50 10.00
PYRETHRUM roseum. Daisy-like flowers varying in color from
white to crimson. Useful for cutting. 2 ft.
June. 1.25 8.00
RANUNCULUS
acris fl. pl. This plant is too often confused with the
following variety which is generally sold for it.
Of late years it has become very scarce and we are pleased to be able to offer the true plant.
The glistening yellow flowers are small and
very double and are borne on strong, erect
stems, from 2½ to 3 ft. in height, the whole in-
florescence forming a loose pyramid. It is one of the real old-fashioned plants and is equally
valuable for border decoration or for cutting.
May-June. 1.25 8.00

P	er Doz.—	-Per 100
RANANCULUS (continued)		4.5
repens fl. pl. Small, double, yellow flowers on branching stems. Valuable for cutting. 1-1½ ft. April-May.	1.25	8.00
		0,00
RUDBECKIA Golden Glow. Double, deep yellow flowers. 6 ft. July-September.	1.25	8.00
SALVIA		
azurea grandiflora. Tall straight stems covered for half their length with sky-blue flowers. 4-5 ft. August-September.	1.25	8.00
Pitcheri. Similar in habit and growth to the preceding, but having dark blue flowers.	2.00	12.00
pratensis. Branching stems of rich, violet-blue flowers. 2 ft. June-July.	1.25	8.00
SANTOLINA (Cotton Lavender) incana. An aromatic, compact growing, half shrubby plant with silvery foliage.	1.25	8.00
SAPONARIA ocymoides. A good plant for carpeting in the herbaceous border or for trailing down the slopes in		
the rock garden. Spangled with bright pink flowers in spring.	1.50	10.00
SCABIOSA caucasica. One of the finest of hardy plants, bearing a succession of large, soft lilac flowers on long		
stems throughout summer. 2½ ft.	2.00	12.00
" alba. A white variety of the above.	2.00	12.00
SCUTELLARIA (Skull Cap) baicalensis coelestina. Clear blue flowers, resembling those of a snapdragon in shape, are freely borne on thin wiry stems from early summer until frost. 1½ ft.	1.50	10.00
SEDUM		
acre. A dwarf grower which quickly forms a thick carpet of vivid green, moss-like foliage and is hidden by yellow flowers in May.	1.50	10.00
album. Small succulent leaves which turn reddish bronze in fall. Trusses of white flowers in June and July. 6 in. An excellent edging		
plant.	1.50	10.00

	r Doz.—P	er 100
SEDUM (continued)		
hispanicum. A minute plant forming spreading tufts of gray foliage becoming bronze in fall. 3 in.	1.50	10.00
lydium. Carpets of bright green foliage which turns reddish bronze during summer. 4 in.	1.50	10.00
obtusatum. A rare and attractive stone-crop. Small, round, fleshy leaves, dull green in spring but which turn red in summer. Yelllow flowers. 4 in. June.	2.00	12.00
reflexum. Clusters of golden flowers. 9 in. June- July.	1.50	10.00
sarmentosum. Fleshy leaved, trailer with yellow flowers.	1.50	10.00
sexangulare. Dwarf trailer; green foliage and yellow flowers. 6 in. June-July.	1.50	10.00
Sieboldii. Round, fleshy, gray leaves and clusters of pink flowers. One of the most attractive	2.00	12.00
Sedums. 9 in. August-September. stoloniferum. Large clusters of pink flowers on pros-	2.00	12.00
trate, trailing stems. 6 in. June-July.	1.50	10.00
spectabile. Erect sturdy habit with broad glaucous leaves. The flowers are borne in large flat heads and are rosy purple in color; they retain their beauty for two months. 1½ ft. August-September.	1.25	8.00
" Brilliant. A deeper colored variety than the preceding, being a vivid amaranth red.	1.50	10.00
SIDALCEA		
Rosy Gem. Pink mallow-like flowers on slender graceful stems. 2½ ft. July.	2.00	12.00
SPIRAEA		
Filipendula. (Dropwort) Loose clusters of creamy white flowers tipped with red, borne on slender stems rising from tufts of fern-like foliage.		
2½ ft. June.	1.50	10.00
Ulmaria. (Meadow Sweet) Loose heads of creamy white flowers on long straight stems. $2\frac{1}{2}$ ft. June-July.	1.25	8.00
	1.20	0.00
" fl. pl. A double flower form of the fore- going and a much superior plant. Excellent for cutting.	1.50	10.00

0700701	Per Doz.—	Per 100
cyanea. A showy plant with a lengthy flowering per iod; large blue flowers on somewhat stragglin stems. 1½ ft. August-October.		10.00
cyanea alba. A white variety of the foregoing.	1.50	10.00
	1.00	10.00
statice latifolia. (Sea Lavender) Branching flower stem bearing countless, small, blue-purple flower which retain their color long after being cu and dried. Very good for cutting. 1½-2 f August-September.	rs it	10.00
SWEET WILLIAM		
Newport Pink.	1.25	8.00
Scarlet Beauty	1.25	8.00
White.	1.25	8.00
THALICTRUM		
andiantifolium. Clumps of maiden-hair foliage an long spikes of loosely arranged, small yellowisl white flowers, good for cutting. They can be used in place of Gypsophila paniculata before that is available. 2½ ft. June-July.	n- oe	10.00
aquilegifolium. Columbine-like foliage and feather heads of creamy white flowers. 2½ ft. Junguly.	у	10.00
" purpureum. Pinkish purple flowers.	1.50	10.00
glaucum. Glaucous foliage and large, feathery head of yellow flowers.	2.00	10.00
THYMUS		
lanuginosus. Carpets of woolly leaves covered in Jun and July with pink flowers.	ne 2.00	12.00
Serpyllum albus. A fragrant, creeping rock plan quickly growing into a dense carpet which b comes covered with white flowers in June ar	e-	
July.	2.00	12.00
" coccineus. A scarlet flowered variety.	2.00	12.00
TRITOMA (Torch Lily) Pfitzeri. A very distinct and handsome late flowering perennial; tufts of grass-like foliage and this fleshy stems covered with orange-scarlet, tube	ek u-	
lar flowers. 2-3 ft. September-October.	2.50	15.00

TRITOMA (Torch Lily) (continued)	Per Doz.	-Per 100
Mixed Hybrids. A choice mixture, varying from ye low to scarlet.	l- 1.50	10.00
TUNICA		
Saxifraga Tufts of grass-like foliage and stems bearing small, rosy pink flowers. 6 in. July-September.		10.00
VALERIANA		
officinalis. A strong growing and free flowering plar bearing large heads of faint pink flowers. 3- ft. June-July.		10.00
VERONICA		
incana. Compact masses of silvery foliage and dee blue flowers. 1 ft. May-June.	p 1.50	10.00
repens. Carpets of evergreen foliage entirly covere in spring with very pale blue flowers.	d 1.50	10.00
Royal Blue. A dwarf bushy plant covered in May an June with masses of bright blue flowers. 1 f		12.00
rupestris. A prostrate trailer forming a thick gree carpet which is almost hidden in May and Jun by myriads of clusters of deep blue flowers	.e	10.00
spicata. Spikes of blue flwoers. 2 ft. June-Augus		10.00
" rosea. An uncommon pink variety of the fore		10.00
subsessilis. Stout erect stems of intense blue flowers		10.00
2-3 ft. July-August.	2.00	12.00
VIOLA		
Jersey Gem. One of the best hardy plants of recen introduction. It blooms freely and continuousl from spring until frost, and the flowers, roya purple in color, are not affected by the sur Its foliage is a rich, healthy green, and it	y al ı.	12.00
habit of growth is neat and compact.		14.00
pedata. (Bird's Foot Violet) Tufts of finely divide leaves and lilac blue flowers. 6 in. April-May		10.00
YUCCA		
filamentosa. (Adam's Needle) Large rosettes o sword-like leaves, and spikes of white flowers 6-8 ft. July. Two year plants.		10.00

Being frequently asked for selection of plants suitable for planting on rock gardens, we append the following list as being adapted for that purpose.

Achillea rupestris
Achillea tomentosa
Achillea umbellata
Aethionema iberideum
Ajuga genevensis
Alyssum saxatile compactum
Arabis alpina

Araois aipina Arenaria montana Armeria maritima Lauchea<mark>na</mark>

Armeria maritima Lauc Aster alpinus Aster alpinus albus Aster subcoeruleus Aubrietia deltoidea Calamintha alpina Campanula carpatica Cerastium tomentosum Dianthus arenarius

Dianthus caesius Dianthus deltoides Dianthus deltoides albus

Dianthus deltoides albus Dianthus deltoides Brilliant

Erinus alpinus
Erinus alpinus albus
Euphorbia polychroma
Geranium sanguineum
Globularia tricosantha
Gypsophila repens

Helianthemum Fireball
Helianthemum macranthum
Helianthemum Mrs Farla

Helianthemum Mrs. Earle Helianthemum praecox

Helianthemum rhodanthe carneum

Herniaria glabra
Hypericum olympicum
Iberis sempervirens
Inula ensifolia
Iris cristata

Iris pumila cyanea Iris pumila The Bride Lychnis alpina

Lysimachia nummularia

Mazus rugosus Nepeta Mussini

Oenothera missouriensis

Papaver alpinum
Papaver nudicaule
Phlox amoena
Phlox divaricata
Phlox stolonifera
Phlox subulata alba

Phlox subulata atrolilacina Phlox subulata G. F. Wilson

Phlox subulata lilacina Phlox subulata rosea Plumbago Larpentae Polemonium humile Santolina incana Saponaria ocymoides

Sedum acre
Sedum album
Sedum hispanicum
Sedum lydium
Sedum obtusatum
Sedum reflexum
Sedum sarmentosum
Sedum sexangulare
Sedum Sieboldii
Sedum stoloniferum

Thymus lanuginosus
Thymus Serpyllum albus
Thymus Serpyllum coccineus

Tunica Saxifraga Veronica incana Veronica repens Veronica Royal Blue Veronica rupestris

Viola pedata

All plants in the following list are suitable for cutting, a careful selection will provide a supply of flowers from spring until Fall.

Achillea Ptarmica The Pearl Achillea Ptarmica Boule de Niege Anthemis tinctoria Kelwayi Armeria Cephalotes

Armeria Cephalotes
Baptisia australis
Campanula persicifolia
Campanula persicifolia alba
Chrysanthemum maximum
Coreopsis grandiflora
Delphinium Belladonna
Delphinium Bellamosum
Eryngium planum
Eupatorium Coelestinum
Euphorbia corollata
Gaillardia grandiflora
Gypsophila paniculata
Heliopsis Pitcheriana

Inula glandulosa

Liatris pycnostachya

Pentstemon barbatus Torreyi

Phlox Miss Lingard
Pink Excelsior
Pink Her Majesty
Pink Homer
Pink Juliette
Pink Lord Lyon
Pink White Reserve
Pyrethrum roseum
Ranunculus acris fl. pl.

Scabiosa caucasica Scabiosa caucasica alba Statice latifolia

Thalictrum adiantifolium

Tritoma Pfitzeri Spiraea Ulmaria fl. pl.

Prices and descriptions of the plants in the preceding lists will be found in the body of catalogue.



